



26 JAN. 1933

	R.1	R.2
BIASSING RESISTANCES FOR P. 220	250 Ω	400 Ω
" " P. 220A	100 Ω	600 Ω
" " P. 240	100 Ω	600 Ω

WHEN D.C. ELIMINATOR IS USED THE LEAD FROM "B" SHOULD BE CONNECTED TO EARTH ON ELIMINATOR.

SWITCH CONTACTS SHORTED FOR SHORT WAVE & OPEN FOR LONG WAVES. ON & OFF SWITCH IN L.T. - LEAD IS INCORPORATED IN SAME SWITCH AS THAT FOR WAVE CHANGE.

DIMENSIONS NOT DECIMAL ± .005" WORK TO DIMENSIONS ONLY.

N DRG. NO. **KOLSTER-BRANDES, LTD.** SIDCUP, KENT.

SPECIFICATION NO. ALTERATIONS. C.R. 872. *R.A.T.*

K'B Museum.org.uk

NAME. <u>111 VALVE RECEIVER CIRCUIT</u>	
MATERIAL.	
FINISH.	
SCALE.	
DRAWN. <u>J.R. Hitcher</u>	24 JULY 1931
CHECKED.	
APPROVED. <u>[Signature]</u>	
DRAWING NO	
C. 27400/1	